

<p>(51) International Patent Classification ⁵ : B65D 65/46, 81/32, A01N 25/34 B29C 65/00, 65/76</p>	<p>A1</p>	<p>(11) International Publication Number: WO 93/08095 (43) International Publication Date: 29 April 1993 (29.04.93)</p>
<p>(21) International Application Number: PCT/EP92/02428 (22) International Filing Date: 22 October 1992 (22.10.92) (30) Priority data: 782,092 24 October 1991 (24.10.91) US (71) Applicant: RHONE-POULENC AGROCHIMIE [FR/FR]; 14-20, rue Pierre-Baizet, B.P. 9163 Lyon 09, F-69263 Lyon Cédex 1 (FR). (72) Inventors: EDWARDS, David ; Rhone-Poulenc Agriculture Ltd., Fyfield Road, Ongar, Essex CM5 0HW (GB). GOUGE, Samuel ; 1708 Parkridge Way, Raleigh, NC 27614 (US). McCARTHY, William ; Rhone-Poulenc Agriculture Ltd., Fyfield Road, Ongar, Essex CM5 0HW (GB). SHUE, James ; 11108 Farmwood Drive, Raleigh, NC 27612 (US).</p>		<p>(74) Agents: BENTHAM, Stephen et al.; J.A. Kemp & Co., 14 South Square, Gray's Inn, London WC1R 5LX (GB). (81) Designated States: AU, BR, CA, CS, FI, HU, JP, KR, PL, RU, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: WATER SOLUBLE PACKAGE</p>		
<p>(57) Abstract</p> <p>A package containing a toxic composition, e.g. a pesticidal composition, which package comprises a first sheet (1) of non-planar water soluble or water dispersible material defining a concavity enclosing the composition, a second sheet (6) of water soluble or water dispersible material sealed to the first sheet by a continuous closed water soluble or water dispersible heat seal, and a third sheet (4) between the first and second sheets and sealed thereto by a water soluble or water dispersible seal (7) to divide the package into two compartments and a process for making the package are described.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	LI	Liechtenstein	SK	Slovak Republic
CI	Côte d'Ivoire	LK	Sri Lanka	SN	Senegal
CM	Cameroon	LU	Luxembourg	SU	Soviet Union
CS	Czechoslovakia	MC	Monaco	TD	Chad
CZ	Czech Republic	MG	Madagascar	TG	Togo
DE	Germany	ML	Mali	UA	Ukraine
DK	Denmark	MN	Mongolia	US	United States of America
ES	Spain			VN	Viet Nam
FI	Finland				

- 1 -

WATER SOLUBLE PACKAGE

This invention relates to a water soluble or water dispersible package containing separate components of a final composition, and to a process for producing such a package.

Pesticides, e.g. herbicides, are often potentially harmful materials and are commonly produced as a concentrated solution or dispersion in an organic liquid, as a gel or in solid form. Such chemicals are typically supplied in a metal or blow-moulded plastics container. To use the chemical pesticides, e.g. herbicides, a quantity of the pesticide is measured out of the container in concentrated form and then mixed with a large volume of water before being sprayed onto a locus to be treated or onto plants. Such concentrated materials are frequently highly toxic so great care must be taken in measuring and mixing them to avoid spillage and to avoid human or animal contact with the concentrated pesticide.

Efforts have been devoted to the design of containers to minimise the risk of accidental spillage of their contents when used and also to reduce residues remaining in the containers after use. Plastics containers with wide necks to facilitate pouring of their contents have been used. Blow moulded plastics containers having hollow handles have been made in which the hollow handles are isolated from the body of the container to avoid retention of material in the handle.

Nevertheless, with present packages it is relatively easy to spill the contents during the mixing process with the resulting risk of contamination of the environment and risk of contact with humans or animals. Also, it is relatively rare to empty containers. Thus farmers, and other users, tend to have partly full containers left around. These represent a further hazard. Even when all of the contents have been used it is difficult to dispose of the empty container. It is also difficult to wash adequately the containers and measuring instruments in which the concentrated pesticides are handled.

SUBSTITUTE SHEET

- 2 -

These devices represent a further hazard to personnel and to the environment.

It has been proposed to package agricultural chemicals in a container comprising a screw fitting adapted to screw onto a corresponding fitting on a spray tank. The contents of the container should be released only when a satisfactory seal exists between the tank and the container. Practical difficulties exist in securing widespread use of such a system in view of the need for standardisation of screw fitting sizes and the possibility of leakage if a satisfactory tight seal is not achieved.

It has also been proposed to package chemicals in a water soluble container which releases the packaged chemical only after contact with water. Such applications have however been limited by the capabilities of known water soluble containers which are often too prone to rupture. It has also proved difficult to avoid pinholes at heat-sealed joints in containers leading to leaking of the contents and unacceptable weakness in the material of the container adjacent to heat sealed joints.

The present invention seeks to overcome the disadvantages of known packages and to provide a package, and a method for producing the package, which contains a toxic, or most preferably pesticidal, composition and has one or more of the following advantageous features:

the packaged chemical is released only after contact with water in which it is to be dissolved or dispersed, minimising the possibility of accidental contact of the undiluted material with the environment or with humans or animals;

the chemical can be provided in unit dosage form suitable for dilution with a predetermined amount of water removing the need for undiluted chemical to be measured out;

the packaged chemical is easy to use : the packaged chemical can be simply placed in water prior to use of the chemicals;

- 3 -

the need for washing out of the residual chemical from containers to render them safe for disposal is removed: containers which have been in contact with the packaged chemical remain uncontaminated which facilitates their disposal; and

the chemical is in two component form with the two separate components both stored so as to be released for mixture and contact with water when activation is required.

At least one of the packaged components is toxic. Typically the toxic component is an agrochemical, preferably a pesticidal composition or plant growth regulator, most preferably it is the pesticidal composition. For the purposes of the present specification and/or claims, the terms "toxic" and "agrochemical" encompass pesticidal compositions and plant growth regulators.

FIG. 1 illustrates a first embodiment of the present invention. FIG. 2 illustrates a second embodiment of the present invention.

We have now devised a new package which dissolves in water, may be cheaply and easily produced and is unexpectedly strong and resistant to rupture or breakage.

Accordingly the present invention provides a package containing a toxic composition which package comprises a first sheet of non-planar water soluble or water dispersible material, a second sheet of water soluble or water dispersible material superposed on the first sheet and sealed to it by a continuous closed water soluble or water dispersible heat seal along a substantially planar continuous region of the superposed sheets, and a third sheet between the first and second sheets and joined to them along the continuous closed water soluble or water dispersible heat seal, whereby the third sheet divides the package into two sealed compartments which open on exposure of the package to water.

The invention further provides a process for producing a package which comprises: moulding a first sheet of water soluble or water dispersible material to form a non-

- 4 -

planar sheet comprising at least one recess adapted to retain a toxic composition, the recess being bounded by a substantially planar flange;

5 placing at least one component of a multi-component composition in the at least one recess;

placing a second sheet on the flange and across every recess;

10 placing a third sheet of water soluble or water dispersible material over said second sheet to enclose therewith at least one further component of said multi-component composition; and

heat sealing the first, second and third sheets along the flange to form a continuous water soluble or water dispersible heat seal.

15 The composition is preferably a pesticidal composition, more preferably in the form of two components which are to be stored apart and mixed only when the composition is to be activated for use.

20 The pesticidal composition may be in liquid form, or solid form, or gel form. It may comprise any conventional carrier or diluent or surfactant. Where the composition is in liquid form it may be in the form of a solution or of a dispersion in an organic liquid. e.g. an emulsion or a suspension. Similarly in gel form, the
25 composition may contain pesticide either dissolved or dispersed in the substantially dry medium.

The packages of the present invention generally contain from 0.1 grams to 7Kg, preferably 1g to 5Kg, where the composition is in solid form. Where the composition is in
30 liquid or gel form, the package typically contains from 1ml to 10 litres, preferably from 0.1 to 3 litres; from 0.5 to 5 litres is also a useful range.

Generally the package will contain at least a small amount of space, e.g. at least about 5% by volume, so as
35 to minimise the likelihood of spillage of the composition during the production of the package.

SUBSTITUTE SHEET

- 5 -

Typically the two sheets of water soluble or water dispersible material are of the same material, but they may be different.

When the pesticidal composition is in liquid or gel form and comprises an organic solvent, the water soluble or water dispersible material will be one which is insoluble in the organic solvent.

Suitable water soluble or dispersible materials are polyethylene oxide and methyl cellulose. More preferably a polyvinyl alcohol (PVOH) film is used. Such a PVOH film may be a partially or fully alcoholised or hydrolysed, e.g. 40-99%, preferably 70-92% alcoholised or hydrolysed, polyvinyl acetate film.

The polyvinyl alcohol film may be unoriented, mono-axially oriented or bi-axially oriented. Water soluble materials are preferred since they provide less disposal problems. The materials used will generally be cold water soluble; cold water soluble polyvinyl alcohol is preferred. It will be understood that other materials may be used when the package is to be dissolved or dispersed in water or hot water. Generally the water soluble or water dispersible material will be flexible.

The maximum tensile strength of the material of the envelope is preferably at least 20, more preferably from 30 to 80, N/mm² and the elongation at break is preferably 200 to 380%, more preferably from 220 to 350%. Testing for these values is generally carried out at 23°C and 50% relative humidity.

When the pesticidal composition is in liquid or gel form it is particularly important to avoid pinholes in the package through which leakage of the composition may occur. In such cases therefore the water soluble or water dispersible material will typically be a laminate, generally of two layers of different, or preferably the same, water soluble or water dispersible material, as pinholes are unlikely to coincide in two layer of material. Typically the laminates will consist

SUBSTITUTE SHEET

- 6 -

of 2 layers of thickness from 20 μ m to 1mm, preferably about 40 μ m, each. Generally however the thickness of the layers will be kept to the minimum needed to prevent rupture of the package, so that the water soluble or dispersible material is dissolved or dispersed as quickly as possible and the pesticide then released.

When the pesticidal composition is in solid form, the sheets of water soluble or water dispersible material typically comprise a single layer of material. In such case the material will generally be from 20 to 500 μ m, preferably 30 to 100 μ m, thick. However, in cases where it is particularly desirable to avoid pinholes in the package, e.g. to prevent the escape of unpleasant odours, a laminate material of the type described above may be used. As with packages containing liquids and gels, the thickness of the water soluble dispersible material will generally be kept to a minimum in packages containing solid compositions.

The two water soluble or water dispersible sheets in the packages are sealed together by a closed continuous heat seal. Typically to ensure that the seal is water soluble and does not suffer from leakage, it is a single continuous seal and has no geometrical discontinuities, i.e. it does not comprise any angular intersections with itself. Therefore the heat seal will usually be curved, at least in portions, for instance at the corners of the package.

The invention is not limited to some specific pesticides (such as insecticides, fungicides, herbicides, acaricides or nemtociques; or plant growth regulators or plant nutrients); a list of the pesticides which can be used in the package of the invention includes:

fungicides such as triadimefon, tebuconazole, prochloraz, triforine, tridemorph, propiconazole, pirimicarb, iprodione, metalaxyl, bitertanol, iprobenfos, flusilazol, fosetyl, propyzamide, chlorothalonil, dichlone, mancozeb, anthraquinone, maneb, vinclozolin, fenarimol, bendiocarb, captafol, benalaxyl, thiram;

- 7 -

- herbicides (or defoliants) such as quizalofop and its derivatives, acetochlor, metolachlor, imazapur and imazapyr, glyphosate and gluphosinate, butachlor, acifluorfen, oxyfluorfen, butralin, fluazifop-butyl, bifenox, bromoxynil, ioxynil, diflufenican, phenmedipham, desmedipham, oxadiazon, mecoprop, MCPA, MCPB, linuron, isoproturon, flamprop and its derivatives, ethofumesate, diallate, carbetamide, alachlor, metsulfuron, chlorsulfuron, chlorpyralid, 2,4-D, tribufos, triclopyr, diclofop-methyl, sethoxydim, pendimethalin, trifluralin, ametryn, chloramben, amitrole, asulam, dicamba, bentazone, atrazine, cyanazine, thiobencarb, prometryn, 2-(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one, fluometuron, napropamide, paraquat, bentazole, molinate, propachlor, imazaquin, metribuzin, tebuthiuron, oryzalin, flupoxam;
- insecticides or nematicides such as ebufos, carbosulfan, amitraz, vamidothion, ethion, triazophos, propoxur, phosalone, permethrin, cypermethrin, parathion, methylparathion, diazinon, methomyl, malathion, lindane, fenvalerate, ethoprophos, endrin, endosulfan, dimethoate, dieldrin, dicrotophos, dichlorprop, dichlorvos, azinphos and its derivatives, aldrin, cyfluthrin, deltamethrin, disulfoton, chlordimeform, chlorpyrifos, carbaryl, dicofol, thiodicarb, propargite, demeton, phosalone; and
- plant growth regulators such as gibberellic acid, ethrel or ethephon, cycocel, chlormequat, ethephon, mepiquat.

- Where the pesticidal composition is in liquid form, then suitable organic solvents which may be used as carriers in the pesticidal composition include petroleum based solvents, e.g. petroleum ethers, mineral oils, aliphatic or aromatic hydrocarbons, e.g. hexane, octane, cyclohexane, benzene, xylene and naphthalene, halogenated aliphatic or aromatic hydrocarbons, e.g. carbon tetrachloride, chloroform, methylene chloride and chlorobenzene, esters, e.g. amyl acetate, ketones, e.g. cyclohexanone, ethers, or a higher alcohol (lower alcohols may migrate through the water soluble

- 8 -

or water dispersible materials described above: this can result in product appearing on the outside of the envelope). It will be understood that mixtures of solvents, e.g. mixtures of a hydrocarbon solvent with another solvent such as a ketone
5 or a higher alcohol, may also be used. The organic liquid must be reasonably dry and typically contains less than 2 to 3% of water by weight of the composition to ensure that it does not leak prematurely from the package.

Such compositions may comprise, in addition to,
10 or in some cases instead of, an organic solvent as a carrier or diluent, a surfactant, which is reasonably dry in that it contains less than 2 to 3% water. Suitable surfactants may be of the ionic or non-ionic types: for example sulphoricinoleates, quaternary ammonium derivatives, products
15 based on condensates of ethylene oxide with alkyl and polyaryl phenols, e.g. nonyl- or octyl-phenols, or carboxylic acid esters of anhydrosorbitols which have been rendered soluble by etherification of the free hydroxy groups by condensation with ethylene oxide, alkali and alkaline earth metal salts of
20 sulphuric acid esters and sulphonic acids such as dinonyl- and dioctyl-sodium sulphonosuccinates and alkali and alkaline earth metal salts of high molecular weight sulphonic acid derivatives such as sodium and calcium lignosulphonates and sodium and calcium alkylbenzene sulphonates.

25 Suitably, the pesticidal composition may comprise up to 10%, e.g. from 0.05% to 10% of surfactant but, if desired, it may comprise higher proportions of surfactant for example up to 15% in liquid emulsifiable suspension concentrates and up to 25% in water soluble concentrates.

30 The contents of the package may be thickened or rendered thixotropic to provide a gel. An increased viscosity in the contents can reduce the likelihood of rupture if the package is subjected to mechanical shock. The contents of the package may be rendered more viscous or thixotropic by the
35 inclusion of additives, for example, a modified organophile, or bentonite, lecithin, polymethylene oxide or silica gel.

- 9 -

Gels which are of particular interest in the invention are organic gels which have viscosities of 600 to 30,000 centipoise, preferably 1,000 to 12,000 centipoise, and still more preferably 1,000 to 5,000 centipoise.

5 According to another aspect of the invention, the material or gel which is used in the invention is essentially a material which has a phase difference ϕ between the controlled shear stress and the resulting shear strain, such that $\tan(\phi)$ is less than or equal to 1.5, 10 preferably less than or equal to 1.2, $T_g(\phi)$ is the tangent of the ϕ angle (or phase difference). The measurement of ϕ is made by means of a rheometer having a flat fixed plate and a rotating cone above this plate such that the angle between them is less than 10° , preferably less than 4° . The 15 cone is caused to rotate by means of a controlled speed motor; the rotation is a sinusoidal one, i.e. the torque and the angular displacement change as a sine function with time. This angular displacement corresponds to the hereabove mentioned shear strain; the torque of the controlled speed 20 motor (which causes the angular displacement) corresponds to the hereabove mentioned controlled shear stress.

It is known that a gel is generally a colloid in which the dispersed phase has combined with the continuous phase to produce a viscous, jelly-like product; it is also a 25 dispersed system consisting typically of a high molecular weight compound or aggregate of small particles in very close association with a liquid. The gels used in the invention have basically an organic continuous phase. In contrast, most of the existing materials/gels are water based and have an 30 aqueous continuous phase. Furthermore, the gels used in the invention have essentially one physical phase, at least as can be seen when visually observed. Preferred gels in the invention are also gels which can be divided by cutting and whose cut parts are able to merge together by simple 35 juxtaposition.

The concentrations of pesticide or herbicide

- 10 -

dissolved or dispersed in the organic liquid or in the gel will generally be those conventionally used: in order to reduce the bulk of each package, however, concentrations may be increased. Each package will preferably contain at least about 100 ml and will preferably contain a convenient standard volume, for example 500 ml or 1 litre, although it will be appreciated that any convenient standard volume may be chosen.

When the pesticidal composition is in solid form then it may comprise any conventional carrier or diluent which is reasonably dry, in that it contains less than 5 to 10%, e.g. 2 to 3% of moisture. Examples of suitable solid diluents or carriers are aluminium silicate, talc, calcined magnesia, kieselguhr, tricalcium phosphate, powdered cork, adsorbent carbon black and clays such as kaolin and bentonite. Solid compositions may comprise surfactants, such as dispersing agents, for example those surfactants previously mentioned. In some cases such surfactants may also be used as diluents or carriers.

As with compositions in liquid form, the concentration of pesticide in the solid pesticidal compositions may be as conventionally used: concentrations may however be increased to reduce the bulk of the package.

The pesticidal compositions used in the package of the present invention may be prepared by conventional means.

The packages of the present invention may be inside an additional outer container. Such a container may provide additional strength and if water resistant may serve to protect the package of the present invention from accidental exposure to water. The outer container is preferably sealed to avoid exposing the package of the present invention to undue moisture.

It will be appreciated that the package of the present invention comprises more than one compartment which may contain the same toxic compositions or components of a multi-component composition. Such multi-compartment packages

SUBSTITUTE SHEET

- - 11 -

are particularly useful where a combination of components are to be employed together and where the components are incompatible for a prolonged period, for instance if they react chemically. Two or more different toxic compositions may be present in the package. One or more of the compositions in a multicompartment package may comprise a component, such as a surface active agent which is incompatible with the toxic composition or which it is simply desired to package separately.

Although it is preferred that the dividing sheet which separates the two compartments of the package itself be formed of water soluble or water dispersible material, any other material compatible (as regards heat sealing) with that used for each of the outer sheets can be used because removal of the two outer sheets by dispersion or dissolution will release the two components of the composition for dilution in the surrounding mass of water and for reaction when they come into contact with one another. The fact that the dividing sheet may still be present in the thus-constituted pesticidal composition will be no great disadvantage provided this does not lead to disturbance of mechanical handling operations such as spraying of the composition (for example by the sheet blocking the spray holes). Where the dividing sheet itself dissolves or disperses, the best possible results are obtained.

The structure of the package may in one example comprise a single thermoformed tray having a first component of the pesticidal composition placed on the floor of the tray and then covered by a dividing sheet which ultimately becomes sealed to the flanges of the thermoformed tray by sealing, and then the completion of the package would comprise placing a second component on the dividing sheet and subsequently covering that second component with a further water soluble or water dispersible sheet which thus encloses a second component and closes the package as a whole.

A further possibility involves the formation of

SUBSTITUTE SHEET

- 12 -

two flanged trays, by thermoforming or vacuum forming, of water soluble or water dispersible sheet material and then filling the first tray with at least one first component, covering that tray with the dividing sheet and sealing the covering sheet to the flanges of the tray to enclose said at least one first component, then placing at least one further component in the second thermoformed tray and covering it with the already completed first thermoformed tray, its contents and dividing sheet whereby the cover sheet for the first tray then forms the dividing sheet between the first and second trays; the sealing of the package is completed by sealing the dividing sheet material which covers the flanges of the first tray to the flanges of the second tray, by a water soluble or water dispersible seal.

It is also envisaged that the package may comprise loosely formed pouches which include a third sheet in the structure to divide a first compartment from a second compartment, where the third sheet is optionally water soluble or water dispersible and is in any case sealed to the perimeters of the two outside sheets, with the various components of the herbicidal composition in the package to either side of the third sheet. Such a package may be formed by leaving the heat seal open along one edge of the package so as to allow access of a filling nozzle into the package alternately to each side of the dividing sheet, and then completing the seal to close the two compartments and to form a continuous water soluble seal around the dividing sheet. The degree of filling of the pouches will maintain two limp water soluble or water dispersible outer sheets in a non-planar configuration.

If desired, there may be several such containers joined edge-to-edge, for example by using a thermoformed tray which has a plurality of compartments therein separated by web regions of the dividing sheet.

It will be appreciated that a multi-component pesticidal composition may be stored in more than two

- 13 -

compartments if additional dividing sheets are provided, with a component of the composition sandwiched between two of the dividing sheets of such a package.

5 It is envisaged that the water-soluble package in accordance with the present invention may be used for various multi-component materials which are hazardous, i.e. toxic, upon exposure of humans thereto but which are desired to be combined in a safe environment, for example in a water tank.

10 Preferably the packages according to the invention should release their contents in less than about 10 minutes. Typically the packages will be placed in the spray tank of a conventional sprayer. The tank will generally be partly filled with water, and the package added. When the
15 tank is provided with means to agitate the water, the contents of the bag will be released more rapidly. It is preferred that release should take place in less than a minute, for example in 30 to 40 seconds. It will be understood that the time taken to release the pesticide will depend upon a number
20 of factors apart from the nature of the bag, including the temperature of the water and the level of agitation.

The packages of the present invention may be obtained by first deforming a sheet of water soluble or dispersible material so as to form a recess adapted to retain
25 a pesticidal composition. This may be achieved for example by a vacuum forming where the sheet is deformed to conform to the shape of a suitable mould and may, if desired, be a thermoforming process to cause the sheet to retain its shape after release from the mould.

30 Where the deformation is by vacuum forming, the mould may be equipped with perforations through which the space between the mould and the sheet can be evacuated.

Where deformation is by thermoforming, the sheet may be driven against the mould by vacuum forming, or by
35 applying a superatmospheric pressure to the other side of the sheet, or by mechanical displacement of the sheet (plug

SUBSTITUTE SHEET

- 14 -

forming).

Packages according to the invention are shown, by way of illustration, in the accompanying drawings in which:

Figure I illustrates a package formed by thermoforming or vacuum forming a sheet (1) of water soluble material into a mould (2), a first component (3) of a pesticidal composition being placed in the recess formed and covered by a second sheet (4) of water soluble material. A second component (5) of a pesticidal composition is contained in a recess above the second sheet (4) and a third sheet (6) of water soluble material covers the second component of the pesticidal composition. A heat seal (7) on the flange of the package then provides the necessary seal.

Figure II illustrates a package in which a first component (8) and second component (9) of a pesticidal composition are contained in a package which comprises two loosely formed pouches and a third sheet (10) which is optionally water soluble or water dispersible and is heat sealed (11) to the perimeters of the two outside sheets.

It will be understood that, for example, two adjacent sheets (1) and (4) or sheets (1) and (6) or (4) and (6) may be derived from a single sheet of material by folding.

In order to ensure optimum processability the heat sealing is generally carried out at 15 to 25°C and 15 to 85% relative humidity (RH). The relative humidity is preferably 35 to 55%. Some routine experimentation may be required to obtain a suitable heat seal depending on the package material, e.g. the particular grade and thickness of PVOH chosen. The quality of the seal can be checked, for example by visual inspection for areas of opacity or for bubbles. Imperfections in the seal may give rise to a lack of water solubility or water dispersibility of the seal. The heat sealing process can be carried out on conventional heat sealing equipment which permits control variation of the sealing jaw temperature, jaw pressure and dwell time.

The following Examples illustrate the invention.

SUBSTITUTE SHEET

- 15 -

In the Examples BIO 88 and Buctril are trade marks.

Example 1

Commercially available cold water-soluble polyvinyl alcohol film (Solublon KA/KA, a laminate of two layers each of 40 microns thickness: total thickness 80 microns) is used on a suitably modified continuous thermoforming machine. Three separate rolls of the same film are used. The first film is heated at 110°C and then thermoformed into a mould, the draw depth being a maximum of 60mm, with a forming time of 2 seconds. The first product to be packaged, as solid water dispersible granules, is placed in the recess thus formed. A second sheet of film is heated to 110°C for 2 seconds then immediately placed across the recess thus formed and on top of the first product. The recess is evacuated which draws the warm second sheet of film into the recess and the film is heat sealed using a sealing temperature of 155°C with a dwell time of 4 seconds. The mould depth and fill size are such that the first product only partially fills the cavity.

A second product, in the form of a gel, is placed in the recess and a third sheet of film is placed across the recess and sealed to the 2 film combination using a sealing temperature of 200°C with a dwell time of 3 seconds.

The production of the water-soluble bags is carried out at 21°C (room temperature) and a relative humidity of 38%.

Example 2

A package is made following the procedure described in Example 1. A first film is thermoformed into a mould and the resulting recess is 50% filled with 150 g of a 90% atrazine solid water dispersible powder herbicide. A second sheet of film is heat sealed just above the solid line, leaving approximately one half of the entire package unfilled. The recess is filled with 150 g of the herbicide "Buctril" as a gel formulation and a third sheet of film is heat sealed across the recess. The resulting package is approximately 85%

SUBSTITUTE SHEET

- 16 -

full after sealing the gel portion of the package. The remainder of unfilled space is void in order to strengthen the bag against sudden shock. The term "void" as used in these Examples means that the package is not filled to capacity but contains substantially no air space above the contents.

Example 3

A package is prepared following the procedure described in Example 1. A first film of polyvinyl alcohol is thermoformed into a mould and the resulting recess is 66% filled with 300 g of a herbicide gel. A second sheet of film is heat sealed just above the solid line, leaving approximately one third of the entire package unfilled. 50 grams of a surfactant, BIO 88 is poured into the recess and a third sheet of film is heat sealed across the recess. The package is 90% full after heat sealing the third sheet of film across the recess. The remainder of unfilled space is void in order to strengthen the bag against sudden shock.

Example 4

A package is prepared following the procedure described in Example 1. A first film of polyvinyl alcohol is thermoformed into a mould, the resulting recess is filled with 300g of a herbicide liquid and a second sheet of film is heat sealed just above the top of the liquid line, leaving approximately two thirds of the entire package unfilled. 250g of the herbicide atrazine 90 as a wettable powder is poured into the recess and a third sheet is heat sealed across the recess, such that the sealed package is 85% full. The remainder of unfilled space is void in order to strengthen the bag against sudden shock.

Example 5

A package is prepared following the procedure described in Example 1. A first film of polyvinyl alcohol is thermoformed into a mould and 300g of an insecticide powder, carbaryl 80S, is poured into the resulting recess. A second sheet of film is heat sealed just above the solid line, leaving approximately 25% of the entire package unfilled. 20g

- 17 -

of the insecticide cypermethrin as a gel is poured into the recess and a third sheet is heat sealed across the recess, such that the package is 90% full. The remainder of unfilled space was void in order to strengthen the bag against sudden shock.

Example 6

A package is prepared using cold water soluble polyvinyl alcohol films (Solublon KA/KA) of different thicknesses. A first film of polyvinyl alcohol film of 250 microns thickness is thermoformed into a mould. The recess thus formed is filled to approximately 33% of capacity with 100g of a herbicide gel and a second sheet of film of 175 microns thickness is heat sealed just above the top of the gel. 50g of a surfactant, BIO 88 is poured into the recess and a third sheet of film of 100 microns thickness is heat sealed just above the liquid line. The package is then approximately 66% full. 50g of a third product, a sulfonyl urea herbicide water dispersible granule, is poured into the recess and a fourth sheet of film of 80 microns thickness is heat sealed across the recess. A small amount of residual void space is left in each bag section for shock protection.

SUBSTITUTE SHEET

- 18 -

CLAIMS

1. A package containing at least one toxic composition which package comprises a first sheet of non-planar water soluble or water dispersible material, a second sheet of water soluble or water dispersible material superposed on the first sheet and sealed to it by a continuous closed water soluble or water dispersible heat seal along a substantially planar continuous region of the superposed sheets, and a third sheet between said first and second sheets and joined to them along said continuous closed water soluble or water dispersible heat seal, whereby said third sheet divides said package into first and second sealed compartments which open on exposure of the package to water.
2. A package according to claim 1, in which the third sheet is water soluble.
3. A package according to claim 1 or 2, wherein the first, second and third sheets are made of the same material.
4. A package according to claim 1, 2 or 3, in which the said water soluble or water dispersible sheets each comprise a laminate of at least two layers of water soluble or water dispersible material.
5. A package according to claim 4, which comprises two layers each having a thickness from 20 μ m to 1mm.
6. A package according to any one of the preceding claims, in which the toxic composition is an agrochemical.
7. A package according to claim 6, in which the toxic composition is a plant growth regulator.
8. A package according to claim 6, in which the toxic composition is a pesticidal composition.
9. A package according to claim 8, each compartment containing a composition, at least one of said contained compositions being a pesticidal composition.
10. A package according to any one of the

SUBSTITUTE SHEET

- 19 -

preceding claims, in which the composition is in liquid or gel form.

11. A package according to any one of claims 1 to 9, containing a composition in solid form in which each of the first, second and third sheets comprises a single layer of water soluble or water dispersible material.

12. A package according to any one of the preceding claims, in which each sheet has a thickness from 20 to 500 μ m.

13. A package according to claim 1, in which the first sheet has a recess and the first compartment is defined by the recess.

14. A package according to any one of the preceding claims, which contains from 1ml to 10 litres of composition in liquid or gel form or from 0.1 grams to 7kg of composition in solid form.

15. A package according to any one of the preceding claims, in which the heat seal is a single continuous seal not comprising any intersections with itself.

16. A package according to any one of the preceding claims, in which the water soluble or water dispersible material comprises polyethylene oxide, methyl cellulose or a polyvinyl alcohol.

17. A package according to claim 16 in which the water soluble or water dispersible material comprises a cold water soluble polyvinyl alcohol which is 40 to 99% hydrolysed or alcoholised polyvinyl acetate.

18. A package according to any one of the preceding claims, in which the contents are releasable in less than 10 minutes after contact with water.

19. A package according to claim 18, in which the contents are releasable in less than 1 minute.

20. A package according to any one of claims 1 to 6 and 9 to 19, in which the toxic composition comprises a hydroxybenzonitrile herbicide.

21. A package according to claim 20, in which

SUBSTITUTE SHEET

- 20 -

the hydroxybenzonitrile herbicide comprises a mixture of ioxynil and bromoxynil esters.

22. A package according to any one of the preceding claims, in which said first compartment contains a first pesticidal composition and said second compartment contains a second pesticidal composition.

23. A process for producing a package according to any one of claims 1 to 22, which comprises the steps of: moulding a first sheet of water soluble or water dispersible material to form a non-planar sheet comprising at least one recess adapted to retain a pesticidal composition, said recess being bounded by a substantially planar flange;

placing at least one component of a multi-component composition in the at least one recess;

placing a second sheet on the flange and across every recess;

placing a third sheet of water soluble or water dispersible material over said second sheet to enclose therewith at least one further component of said multi-component composition; and

heat sealing the first, second and third sheets along the flange to form a continuous water soluble or water dispersible heat seal.

24. A process according to claim 23, in which the first water soluble or water dispersible sheet is deformed by vacuum-forming to conform to a mould.

25. A process according to claim 23 or 24, wherein the third sheet is also deformed to be non-planar.

26. A process according to claim 24 or 25, wherein the or each said deformed sheet is deformed by thermoforming.

27. A process according to any one of claims 24 to 26, in which the first, second and third sheets are heat sealed at a sealing temperature of from 140 to 220°C.

28. A process according to any one of claims 24 to 27, in which the first, second and third sheets are heat

SUBSTITUTE SHEET

- 21 -



sealed at a sealing jaw pressure from 1×10^{-4} to 3.5×10^{-4} kg/m².

29. A process according to any one of claims 24 to 28, in which the first, second and third sheets are heat sealed with a dwell time from 0.2 to 1.5 seconds.

30. A process according to any one of claims 24 to 29, in which the sheets are heat sealed at a relative humidity of from 15 to 85%.

SUBSTITUTE SHEET

1/1

Fig. 1.*Fig. 2.*

SUBSTITUTE SHEET

International Application No

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5 B65D65/46; B65D81/32; A01N25/34; B29C65/00 B29C65/76																	
II. FIELDS SEARCHED Minimum Documentation Searched? <table border="1"> <tr> <td>Classification System</td> <td>Classification Symbols</td> </tr> <tr> <td>Int.Cl. 5</td> <td>B65D ; A01N ; B29C</td> </tr> </table> Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸			Classification System	Classification Symbols	Int.Cl. 5	B65D ; A01N ; B29C											
Classification System	Classification Symbols																
Int.Cl. 5	B65D ; A01N ; B29C																
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹ <table border="1"> <tr> <th>Category⁹</th> <th>Citation of Document,¹¹ with indication, where appropriate, of the relevant passages¹²</th> <th>Relevant to Claim No.¹³</th> </tr> <tr> <td>Y</td> <td>EP,A,0 244 084 (BALL) 4 November 1987</td> <td>1,3,11, 13,15, 23,25,26</td> </tr> <tr> <td>A</td> <td>see column 5, line 38 - column 8, line 6; claims 1-3; figures</td> <td>9,24</td> </tr> <tr> <td>Y</td> <td>GB,A,969 463 (WILKIE & PAUL) 9 September 1964 see the whole document</td> <td>1,3,11, 13,15, 23,25,26</td> </tr> <tr> <td>A</td> <td>US,A,3 756 389 (FIRTH) 4 September 1973 see column 1, line 68 - column 2, line 60; figures</td> <td>1</td> </tr> </table>			Category ⁹	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	Y	EP,A,0 244 084 (BALL) 4 November 1987	1,3,11, 13,15, 23,25,26	A	see column 5, line 38 - column 8, line 6; claims 1-3; figures	9,24	Y	GB,A,969 463 (WILKIE & PAUL) 9 September 1964 see the whole document	1,3,11, 13,15, 23,25,26	A	US,A,3 756 389 (FIRTH) 4 September 1973 see column 1, line 68 - column 2, line 60; figures	1
Category ⁹	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³															
Y	EP,A,0 244 084 (BALL) 4 November 1987	1,3,11, 13,15, 23,25,26															
A	see column 5, line 38 - column 8, line 6; claims 1-3; figures	9,24															
Y	GB,A,969 463 (WILKIE & PAUL) 9 September 1964 see the whole document	1,3,11, 13,15, 23,25,26															
A	US,A,3 756 389 (FIRTH) 4 September 1973 see column 1, line 68 - column 2, line 60; figures	1															
<div> <div> ¹⁰ Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed </div> <div> "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document member of the same patent family </div> </div>																	
IV. CERTIFICATION <table border="1"> <tr> <td> Date of the Actual Completion of the International Search 10 FEBRUARY 1993 </td> <td> Date of Mailing of this International Search Report - 8. 03. 93 </td> </tr> <tr> <td> International Searching Authority EUROPEAN PATENT OFFICE </td> <td> Signature of Authorized Officer NEWELL P.G. </td> </tr> </table>			Date of the Actual Completion of the International Search 10 FEBRUARY 1993	Date of Mailing of this International Search Report - 8. 03. 93	International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer NEWELL P.G.											
Date of the Actual Completion of the International Search 10 FEBRUARY 1993	Date of Mailing of this International Search Report - 8. 03. 93																
International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer NEWELL P.G.																

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
A	EP,A,0 347 222 (MAY & BAKER) 20 December 1989 see column 3, line 39 - column 3, line 55; claims; figure 3 ---	1,5-10, 12,14, 16-21
A	US,A,4 793 474 (DRAKE) 27 December 1988 see the whole document ---	1,2,11, 22
A	US,A,3 661 695 (BERLINER) 9 May 1972 see abstract; figure 1 ---	4
A	EP,A,0 347 220 (MAY & BAKER) 20 December 1989 see claims 30,32-34 -----	27-30

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

EP 9202428
SA 65883

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

10/02/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0244084	04-11-87	None	
GB-A-969463		None	
US-A-3756389	04-09-73	None	
EP-A-0347222	20-12-89	GB-A- 2230445	24-10-90
		AU-A- 3767689	12-01-90
		AU-A- 3837589	12-01-90
		AU-A- 3839689	12-01-90
		AU-A- 3840389	12-01-90
		EP-A- 0347219	20-12-89
		EP-A- 0347220	20-12-89
		EP-A- 0347221	20-12-89
		EP-A- 0420889	10-04-91
		EP-A- 0419545	03-04-91
		EP-A- 0422060	17-04-91
		EP-A- 0422061	17-04-91
		WO-A- 8912587	28-12-89
		WO-A- 8912588	28-12-89
		WO-A- 8912589	28-12-89
		WO-A- 8912590	28-12-89
		JP-T- 3505073	07-11-91
		JP-T- 3505074	07-11-91
		JP-T- 3505075	07-11-91
		JP-T- 3505076	07-11-91
		CN-A- 1040550	21-03-90
		CN-A- 1040552	21-03-90
		GB-A- 2222083	28-02-90
		GB-A- 2221158	31-01-90
		GB-A- 2221159	31-01-90
		GB-A- 2221160	31-01-90
US-A-4793474	27-12-88	GB-A- 2094256	15-09-82
		CA-A- 1181682	29-01-85
		JP-C- 1223437	15-08-84
		JP-A- 57158708	30-09-82
		JP-B- 58052963	26-11-83
US-A-3661695	09-05-72	None	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

EP 9202428
SA 65883

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

10/02/93

Page 2

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0347220	20-12-89	GB-A- 2230445	24-10-90
		AU-A- 3767689	12-01-90
		AU-A- 3837589	12-01-90
		AU-A- 3839689	12-01-90
		AU-A- 3840389	12-01-90
		EP-A- 0347219	20-12-89
		EP-A- 0347221	20-12-89
		EP-A- 0347222	20-12-89
		EP-A- 0420889	10-04-91
		EP-A- 0419545	03-04-91
		EP-A- 0422060	17-04-91
		EP-A- 0422061	17-04-91
		WO-A- 8912587	28-12-89
		WO-A- 8912588	28-12-89
		WO-A- 8912589	28-12-89
		WO-A- 8912590	28-12-89
		JP-T- 3505073	07-11-91
		JP-T- 3505074	07-11-91
		JP-T- 3505075	07-11-91
		JP-T- 3505076	07-11-91
		CN-A- 1040550	21-03-90
		CN-A- 1040552	21-03-90
		GB-A- 2222083	28-02-90
		GB-A- 2221158	31-01-90
		GB-A- 2221159	31-01-90
		GB-A- 2221160	31-01-90

EPO FORM P0479

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKewed/SLANTED IMAGES**

☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

This Page Blank (uspto)